


Day : Thursday

Date: 6/9/2005

Time: 17:33:38



Inventor Information for 10/773151

Inventor Name	City	State/Country
LAI, YAW-HUEY	TAIPEI HSIEN	TAIWAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application# or Patent#
PCT / / or PG PUBS #
Attorney Docket #
Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

	Hits	Search Text
1	10	(heat adj pipe) same (plug\$3 with solder\$3)
2	85	(heat adj pipe) same (seal\$3 with solder\$3)
3	6	(heat adj pipe) same (plug\$3 with coat\$3)
4	0	(heat adj pipe) and (plug\$3 with coat\$3 with solder\$3)
5	34	(heat adj pipe) and (plug\$3 with solder\$3)
6	570	(pipe or tube) same (plug\$3 with solder\$3)
7	195	(pipe or tube) same (plug\$3 with solder\$3) same seal\$3
8	4	(pipe or tube) same (plug\$3 with solder\$3 with coat\$3) same seal\$3
9	15	(pipe or tube) same (plug\$3 with solder\$3 with coat\$3)
10	24	(heat adj pipe) same (clos\$3 with (solder or tin))
11	1	(heat adj pipe) same (clos\$3 with tin)
12	1	(heat adj pipe) same (clos\$3 with (Sn or tin))
13	5	(heat adj pipe) and (clos\$3 with (Sn or tin))
14	5	(heat adj pipe) and (clos\$3 with (Sn or tin))
15	8	(heat adj pipe) and (plug\$3 with (Sn or tin))
16	0	(heat adj pipe) and (cork\$3 with (Sn or tin))
17	17	(heat adj pipe) and (seal\$3 with (Sn or tin))
18	3	((pipe or tube) near heat) and ((press\$3 near fit\$4) same solder\$3 same (cap or plug or closure) same seal\$3)
19	1	(heat adj pipe) and ((end with (plug or cap)) with solder\$3 with coat\$3)
20	1	(heat adj pipe) and ((plug or cap) with solder\$3 with coat\$3)
21	73	(heat adj pipe) and ((plug or cap) with solder\$3)

	Hits	Search Text
22	44	((pipe or tube\$3) near pipe) and ((braz\$3 or solder\$3) with (cap or plug or closure) with seal\$3)
23	219	(heat adj pipe) and (seal\$3 with solder\$3)
24	11	(heat adj pipe) and ((solder\$3 or braz\$3) near (groove or ditch))
25	100	(heat adj pipe) and ((solder\$3 or braz\$3) with (groove or ditch))